


ATTACHMENT G RECOMMENDED GENERAL PLAN AND ZONING CODE AMENDMENTS

GENERAL PLAN AMENDMENTS:

The [City's General Plan Land Use Diagram](#) establishes the range of land uses, density, and intensity of development allowed for all parcels within Pasadena, as shown on Figure 1. This range is defined for each land use category depicted on the diagram in the Land Use Element. Densities and intensities defined for parcels by the Zoning Code and Specific Plans may be less than, but not exceed those shown on the diagram without an amendment to the General Plan.


Figure 1. General Plan Land Use Diagram



A General Plan Land Use Diagram amendment is recommended to update the land use designations and remove parcels from the plan area depicted on the Land Use Diagram, as proposed in the Central District Specific Plan (CDSP) dated November 16, 2022. The following describes the recommended changes to the Land Use Diagram and are shown on Figure 2:

- (1) Update the land use designation for a portion of the parcels at the intersection of North Garfield Avenue and East Holly Street (45 feet behind the street-facing property lines) from Medium Mixed-Use (0-87 du/ac and 0-2.25 FAR) and Institutional to Open Space;
- (2) Update the land use designation for the parcels that comprise Playhouse Village Park from Medium Mixed-Use (0-87 du/ac and 0-2.25 FAR) to Open Space;
- (3) Update the land use designation on all High Commercial (0-3.0 FAR) parcels to High Mixed-Use (0-87 du/ac and 0-3.0 FAR);
- (4) Update the land use designation on two parcels fronting Walnut Street (APNs 5723-010-046 and 5723-010-047) west of North Lake Avenue from Urban Housing (0-87 du/ac) to High Mixed-Use (0-87 du/ac and 0-3.0 FAR);
- (5) Update the land use designation on five parcels in the vicinity of North Lake Avenue (APNs 5738-003-901, 5723-011-010, 5723-011-016, 5723-011-034 and 5723-011-035) from Medium Mixed-Use (0-87 du/ac and 0-2.25 FAR) to High Mixed-Use (0-87 du/ac and 0-3.0 FAR);
- (6) Update the CDSP boundary by removing the portions of one parcel on Mentor Avenue and one parcel on Wilson Avenue designated High Density Residential (0-48 du/ac);
- (7) Update the CDSP boundary by removing the area south of California Boulevard designated Low Mixed-Use (0-32 du/ac and 0-1.0 FAR);
- (8) Update the land use designation of two parcels fronting South Lake Avenue (APNs 5721-027-019 and 5721-027-020) from Med-High Density Residential (0-32 du/ac) to Low Mixed-Use (0-32 du/ac and 1.0 FAR);
- (9) Update the land use designation for parcels between El Molino Avenue and Hudson Avenue (south of Del Mar Boulevard, excluding Institutional uses) from Med-High Residential (0-32 du/ac) to High Residential (0-48 du/ac); and
- (10) Update the land use designation on all Medium Mixed-Use (0-87 du/ac and 0-2.25 FAR) parcels south of Central Court between De Lacey Avenue and Fair Oaks Avenue to High Mixed-Use (0-87 du/ac and 0-3.0 FAR).

Figure 2. Proposed Changes to the General Plan Land Use Diagram




ZONING CODE AMENDMENTS:

The City’s Zoning Code, Title 17 of the Pasadena Municipal Code, describes various types of zoning districts, land use regulations, and development standards. These zoning districts are depicted on the [City’s Zoning Map](#), which designate uses for all parcels at a greater level of specificity with densities and intensities falling within the range shown on the Land Use Diagram.

A **Zoning Map amendment** is recommended to replace zoning district designations indicated on the Zoning Map with the proposed zoning districts shown in Figure 3 and Tables 1 and 2. The new zoning districts would align the permitted uses and design, development, and public realm standards with the plan’s vision, goals, and policies.

Figure 3. Recommended Zoning Districts for the Proposed CDSP Area



Zoning Designations













 CD-MU-C	 CD-RM-87	 PS
 CD-MU-G	 CD-RM-48	 PD
 CD-MU-N	 CD-RM-32	 CL-2
 CD-CL	 OS	 RM-48

Table 1. Existing and Recommended Zoning Districts for Parcels in the Proposed CDSP

	Zoning District				
Existing	CD-1 CD-2 CD-4	CD-1 CD-2 CD-4 CD-5 ECSP-CG-1	CD-1 CD-3 CD-5 CD-6	CD-5	CD-3
Proposed	CD-MU-C	CD-MU-G	CD-MU-N	CD-CL	CD-RM-87

	Zoning District				
Existing	RM-48	RM-32	OS	PS	PD
Proposed	CD-RM-48	CD-RM-32	OS	PS	PD

Table 2. Existing and Recommended Zoning Districts for Parcels outside the Proposed CDSP

	Zoning District		Notes
Existing	CD-5	CD-5	*New Footnote (6): <i>South of California Boulevard between Hudson and Mentor Avenues in CL-2, the maximum FAR shall be 1.0.</i>
Proposed	CL-2*	RM-48	

Specific plan standards, allowable land uses, and permit requirements are also included in Title 17 of the Zoning Code. A **Zoning Code Text amendment** is recommended in order to replace existing permitted uses and standards in [Chapter 17.30](#) of the Zoning Code with the uses and standards proposed in the CDSP to implement the plan. Please refer to the [Proposed Central District Specific Plan \(2023\)](#), pertaining to Zoning and Land Uses (Ch. 4), Public Realm Standards (Ch. 5), and Development and Design Standards (Ch. 6).

A **Zoning Code Text amendment** is also recommended to remove the hours of operation clause for Central District in 17.50.050 – Animal Hospitals:

~~C. Central District Specific Plan Area Only. Animal hospitals operating in the Central District Specific Plan Area may only be open to the public between the hours of 8:00 a.m. to 6:00 p.m.~~

~~D.C. ...~~

In addition, a **Zoning Code Text amendment** is recommended to fix typographical errors in the previously adopted South Fair Oaks Specific Plan, as some references were misnumbered in the translation from Specific Plan document to Zoning Code text. (The tables erroneously started at number 2.)

Updates are marked below:

Chapter 17.35 - South Fair Oaks Specific Plan

17.35.030 - Allowable Land Uses

- A. **Definitions.** Definitions of specific land uses are found in Section 17.80.020.
- B. **Permit Requirements.** Table ~~SFOSP-2~~SFOSP-1 identifies the uses of land allowed, the land use permit required to establish each use, and limitations that may apply for a particular use.
- C. **Standards for Specific Land Uses.** Additional standards may apply to specific land uses; refer to the PMC Section noted in Table ~~SFOSP-2~~SFOSP-1.
 - 1. Section 17.50.160 shall not apply to Mixed-Use Projects.
 - 2. Section 17.50.350 shall not apply to Multi-Family Housing.
- D. **Ground Floor Frontages.** In Mixed-Use zoning districts, additional commercial requirements and residential unit restrictions on the ground floor shall apply per Section 17.35.070.A.
- E. **Major Construction.** For all non-residential uses with a gross floor area of 25,000 square feet or greater, a Conditional Use Permit shall be required per Section 17.61.050.J.2.
- F. **Prohibited Uses.** Those uses not listed in Table ~~SFOSP-2~~SFOSP-1 are prohibited by the SFOSP, except as otherwise provided by Section 17.21.030.A.
- G. **Nonconforming Uses.** Existing uses which are made nonconforming by the SFOSP shall be subject to Section 17.71.
- H. **Limited Hours of Operation.** Uses listed in Table SFOSP-1 must comply with limited hours of operation as required by 17.40.070.

Table ~~SFOSP-2~~SFOSP-1: Allowable Land Uses

Symbol	Description	Section
P	Permitted use, Code Compliance Certificate required.	17.61.020
MC	Conditional use, Minor Conditional Use Permit required.	17.61.050
C	Conditional use, Conditional Use Permit required.	
E	Conditional use, Expressive Use Permit required.	17.61.060
TUP	Temporary use, Temporary Use Permit required.	17.61.040
—	Use not allowed.	
(L1)	Use is not permitted on the ground floor within 35 feet of the sidewalk line. Entries to upper floor or ground floor spaces behind the 35 feet are	

	allowed; these spaces shall not qualify as required commercial uses for the purposes of Section 17.35.070.A.	
(L2)	Use limited to a maximum of 30% of the total building frontage on the ground floor, regardless of the ground floor frontage type per Section 17.35.070.A.	
(L3)	Use limited to a maximum of 30% of the total building frontage on the ground floor fronting Raymond Avenue south of Fillmore Street, regardless of the ground floor frontage type per Section 17.35.070.A.	
(L4)	Use limited to east of Metro right-of-way.	

ZONING DISTRICT LAND USES AND PERMIT REQUIREMENTS

Land Use ¹	Permit Requirement								Section/ Notes
	SFO-CG	SFO-CL	SFO-CF	SFO-IF	SFO-MU-C	SFO-MU-G	SFO-MU-N	SFO-MU-T	

...

TRANSPORTATION, COMMUNICATIONS, AND UTILITY USES										
Accessory Antenna Arrays	P	P	P	P	P	P	P	P	P	
Alternative Fuel/Recharging Facilities	P	-	P	P	-	-	-	-	-	
Commercial Off-Street Parking	C	C	C	C	C	C	C	C	C	17.40.070
Communications Facilities	C	C	C	C	C	C	C	C	C	
Heliports	-	C	-	C	-	-	-	-	-	
Transportation Terminals	C	C	C	C	C	C	C	C	C	
Utilities, Major	C	-	C	C	C	C	C	C	C	
Utilities, Minor	P	-	P	P	P	P	P	P	P	
Wireless Telecom Facilities, Major	C	C	C	C	C	C	C	C	C	17.50.310
Wireless Telecom Facilities, Minor	MC	MC	MC	MC	MC	MC	MC	MC	MC	
Wireless Telecom Facilities, SCL	P	P	P	P	P	P	P	P	P	

...

17.35.050 - Summary of Development Standards

Table ~~SFOSP-3~~SFOSP-2 provides abbreviated development and design standards by zoning district for the SFOSP. Complete standards shall be referenced within Sections 17.35.060—17.35.090.

Table ~~SFOSP-3~~SFOSP-2: Summary of Development Standards

Standard	SFO-CG, -CL	SFO-CF, -IF	SFO-MU-C, -MUC-G, -MU-N, -MU-T
...			
Ground Floor Frontages			
Required Uses	Figure SFOSP-15 and Table SFOSP-4 <u>SFOSP-3</u>		
Commercial Depth	35' average, 20' min.		
...			

...

C. Height

1. **Building Height.** Projects shall not exceed the height limits set in Figure SFOSP-8.
 - a. Height is measured per Section 17.40.060.
 - b. An additional 12 feet shall be permitted for projects that are classified as Commercial Uses on Table ~~SFOSP-3~~SFOSP-1, up to a maximum height of 63 feet (75 feet with height averaging).
 - c. Exceptions allowed for Height Averaging (Section 17.35.060.C.2) and projecting features such as appurtenances and railings per Section 17.40.060.
2. **Height Averaging.** With approval of Design Commission, up to 30 percent of a building's footprint may exceed the height limit to the maximum set in parenthesis in Figure SFOSP-8, provided that the average height over the entire footprint does not exceed the allowable height; see Figure SFOSP-9.

...

17.35.070 - Frontage

A. Ground Floor Frontages

In Mixed-Use zoning districts, ground floor use requirements are regulated by frontage type per Figure SFOSP-15 and Table ~~SFOSP-4~~SFOSP-3. All use requirements are regulated as a percentage of the building frontage; see Figure SFOSP-16.

1. **Commercial Uses.** Frontage types shall require a minimum amount of the building frontage to be comprised of, and designed for, commercial uses per Figure SFOSP-

15 and Table ~~SFOSP-4~~SFOSP-3. Permitted commercial uses by zoning district are found in Table ~~SFOSP-2~~SFOSP-1.

- a. Entrances to non-ground floor uses, and/or entrances to uses prohibited within 35 feet of the sidewalk, shall not qualify toward the minimum commercial use percentage.
 - b. Commercial uses shall have an average interior depth of at least 35 feet and a minimum depth of 20 feet, measured wall-to-wall.
2. **Residential Uses.** Frontage Types 1 and 2 per Table ~~SFOSP-4~~SFOSP-3 and Figure SFOSP-15 set limitations on ground floor residential uses facing the street. Permitted residential uses by zoning district are found in Table ~~SFOSP-2~~SFOSP-1.
- a. Type A: Residential units on the ground floor shall be prohibited within 35 feet of the sidewalk line, inclusive of setbacks, per Table ~~SFOSP-4~~SFOSP-3; see Figure SFOSP-17.
 - b. Type B: Residential units on the ground floor shall be permitted with direct access to the street and a minimum setback of 5 feet.
 - c. Residential common space on the ground floor shall be permitted per Table ~~SFOSP-4~~SFOSP-3.

...

Table ~~SFOSP-4~~SFOSP-3: Allowable Ground Floor Building Frontages in Mixed-Use Zones

Type	Commercial Uses	Residential Common Space	Residential Dwelling Units
1A	80% min.	20% max.	Prohibited within 35' of sidewalk line
2A	20% min.	80% max	
2B	20% min	80% max	
3B	Allowed, no percentage requirements		

...

C. Transparency

- 1. **Windows & Doors.** Street-facing facades shall incorporate glass providing views into work, display, sales, lobby, or similar active areas. The minimum transparency requirement is set in Tables ~~SFOSP-5~~SFOSP-4 and ~~SFOSP-6~~SFOSP-5 based on use.
 - a. For non-residential and residential common space uses, ground floor transparency is measured as the percentage of building frontage that consists of transparent openings between a height of 2 feet and 10 feet above sidewalk elevation.
 - b. All other transparency is measured as the percentage of building frontage area, viewed in elevation.
 - c. Windows shall be recessed by a minimum of 2 inches from the façade; flush windows may be allowed per review authority approval.

- d. The use of color-tinted, mirrored, or highly reflective glass is prohibited.
- e. Blinds, drapes, posters, and shelving for product displays visible to the public right-of-way shall obscure a maximum of 10 percent of the transparent areas of each respective storefront or 50 percent for medical office uses.

Table ~~SFOSP-5~~SFOSP-4: Transparency for Non-Residential and Residential Common Space

Transparency	CG, CL, MU	CF, IF
Ground Floor	60%	30%
Overall Façade	30%	15%

Table ~~SFOSP-6~~SFOSP-5: Transparency for Residential Units

Transparency	All Zones
Ground Floor	15%
Overall Façade	15%

17.35.080 - Open Space

A. **Minimum Open Space**

1. **Private and Common Open Space.** Projects shall provide the minimum area of Open Space based on use and size. Areas used regularly for parking, loading or storage shall not count towards minimum Open Space requirements.
 - a. **Residential.** Projects with dwelling units shall provide the minimum area of Open Space per Table ~~SFOSP-7~~SFOSP-6 as a combination of Private and/or Common Open Space.
 - b. **Non-residential.** Projects with more than 40,000 square feet of non-residential floor area shall provide a minimum of 5 percent of the gross non-residential floor area as Common Open Space.
 - c. **Mixed-use.** Projects shall comply with requirements applicable to each type of use.

Table ~~SFOSP-7~~SFOSP-6: Residential Open Space by Unit Type

Number of Bedrooms	0	1	2	3+
Per Unit, sq ft	200	225	250	275

2. **Publicly Accessible Open Space (PAOS).** Projects with more than 60,000 square feet of gross floor area (GFA) shall provide a minimum area of PAOS, calculated as a percentage of GFA, as set in Table ~~SFOSP-8~~SFOSP-7.
 - a. PAOS shall be provided in addition to Private and Common Open Space requirements.
 - b. Projects shall comply with PAOS standards per Section 17.35.080.D and Paseo standards per Section 17.35.080.E where relevant.
 - (1) PAOS and Paseo standards may be modified through the Design Review process, if the review authority finds that the modified design continues to be accessible to the public, functional, and includes features such as landscaping, trees, and outdoor seating.

Table ~~SFOSP-8~~SFOSP-7: Publicly Accessible Open Space by Project Size & Location

Project Size (GFA)	60,000-119,999 sq ft	120,000-159,999 sq ft	160,000-199,999 sq ft	200,000+ sq ft
Projects within 500 feet of a Metro station platform	4%		5%	
Projects outside 500 feet of a Metro station platform	2%	3%	4%	5%

B. Private Open Space

1. **Dimensions.** A minimum area of 40 square feet with a minimum dimension of 5 feet in each direction shall be required for Private Open Space.
2. **Distribution.** A maximum of 40 percent of the required residential Open Space set in Table ~~SFOSP-7~~SFOSP-6 shall be Private Open Space.
 - a. All Private Open Space shall be outdoors.
 - b. Private Open Space may be located within a required setback.

C. Common Open Space

1. **Dimensions.** A minimum area of 400 square feet with a minimum dimension of 15 feet in each direction shall be required for Common Open Space.
2. **Distribution.** A minimum of 60 percent of the required residential Open Space set in Table ~~SFOSP-7~~SFOSP-6 shall be Common Open Space shared among tenants.

...

D. Publicly Accessible Open Space (PAOS)

1. **Area.** Minimum PAOS requirements are set in Section 17.35.080.A.2 and Table ~~SFOSP-8~~SFOSP-7, and may be contiguous or noncontiguous, subject to the dimension and elevation standards below.

2. **Paseos.** Projects that are required to provide PAOS per Section 17.35.080.A.2 and located on parcels that include a paseo opportunity area on Figure SFOSP-48~~SFOSP-19~~, shall be required to meet the minimum area requirement by providing a paseo, defined as a pedestrian passageway that connects a public street to another public street, alley, or internal public space.

A **Zoning Code Text amendment** is also recommended to technically clean up previously adopted specific plans to ensure limited hours of operation apply as required by 17.40.070 for East Colorado, South Fair Oaks, and Lincoln Avenue. Updates are marked below:

Chapter 17.31 East Colorado Specific Plan

17.31.040 - Allowable Land Uses

...

- I. **Limited Hours of Operation.** Uses listed in Table ECSP-2 must comply with limited hours of operation as required by 17.40.070.

Chapter 17.35 South Fair Oaks Specific Plan

17.35.030 - Allowable Land Uses

...

- H. **Limited Hours of Operation.** Uses listed in Table SFOSP-2 must comply with limited hours of operation as required by 17.40.070.

Chapter 17.37 Lincoln Avenue Specific Plan

17.37.040 - Allowable Land Uses

...

- I. **Limited Hours of Operation.** Uses listed in Table LASP-2 must comply with limited hours of operation as required by 17.40.070.